

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION N	O. I	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/927,348	-	08/13/2001	Masatoshi Yamamoto	DP-793 US	6114
466	7590	04/01/2005		EXAMINER	
	& THOM		MERED, HABTE		
745 SOU 2ND FLC	TH 23RD ST OOR	TREET		ART UNIT	PAPER NUMBER
ARLINGTON, VA 22202			2662		
				DATE MAILED: 04/01/2009	DATE MAILED: 04/01/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		6					
	Application No.	Applicant(s)					
	09/927,348	YAMAMOTO, MASATOSHI					
Office Action Summary	Examiner	Art Unit					
	Habte Mered	2662					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the	correspondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period was Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be to within the statutory minimum of thirty (30) da will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONI	mely filed ys will be considered timely. the mailing date of this communication. ED (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on	_·						
2a) This action is <b>FINAL</b> . 2b) ☑ This	action is non-final.						
3) Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4)⊠ Claim(s) <u>1-12</u> is/are pending in the application.		·					
4a) Of the above claim(s) is/are withdray	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.	Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-12</u> is/are rejected.	Claim(s) <u>1-12</u> is/are rejected.						
7) Claim(s) is/are objected to.	Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.						
Application Papers							
9) The specification is objected to by the Examine	r.						
10)⊠ The drawing(s) filed on <u>27 July 2001</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.							
Applicant may not request that any objection to the	drawing(s) be held in abeyance. Se	ee 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ol	ojected to. See 37 CFR 1.121(d).					
11) ☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	e Action or form PTO-152.					
Priority under 35 U.S.C. § 119	į						
12)⊠ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a	a)-(d) or (f).					
a)⊠ All b)□ Some * c)□ None of:	priority and or	-, (=, (=, (=,					
1.⊠ Certified copies of the priority documents	s have been received.						
2. Certified copies of the priority documents		tion No					
3. Copies of the certified copies of the prior							
application from the International Bureau		_					
* See the attached detailed Office action for a list	of the certified copies not receiv	ed.					
		•					
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summar	y (PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D	Date					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 07/25/03&06/0704.	5) Notice of Informal 6) Other:	Patent Application (PTO-152)					

Application/Control Number: 09/927,348 Page 2

Art Unit: 2662

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Johansson et al (US 6, 333, 936) hereinafter referred to as Johansson, in view of Katinakis et al (US 6, 389, 039), hereinafter referred to as Katinakis.
- 3. Regarding claim 1, Johansson discloses an efficient resource allocation system useful for allocating shared resources in any hierarchical system in general and in a communication system in particular. Johansson discloses the shared resources can either be hardware or software entities. For instance a "channel" can be a shared resource it can be a carrier frequency, a time slot, a code, or a hybrid of these, according to the particular access technique used by the communication system.

  Figure 3 is a resource management system that can be used in a system like the WCDMA packet transmission system shown in Figure 8. Johansson's resource allocation system shown in Figure 3 has a resource map database (i.e. resource pool), a resource management means (i.e. resource handler), and a resource-monitoring unit (i.e. statistics analyzer).

Art Unit: 2662

Johansson discloses packet transmission system (see Figures 3 and 8) in which each terminal unit (element 164 in Figure 8) transmits data to a resource monitoring device of a network (element 162 in Figure 8; Base Station (BS)) for sending the data to another terminal unit via the network, wherein the resource monitoring device includes:

a resource map database (element 12 in Figures 3 and 8) for storing a resource map in which central points of resources that can be used by the terminal units are described (Column 1, Lines 46-59; Column 2, Lines 60-67; Column 3, Lines 11-44; Column 5, Lines 10-15; Column 6, Lines 50-55;); and

a resource management means (element 11 in Figures 3 and 8; i.e. resource handler) for obtaining the resource map from the resource map database and transmitting the resource map to the terminal units (Column 3, Lines 45-48 and Column 5, Lines 27-32).

Johansson, however, fails to expressly disclose a resource detection and acquisition means exist in each terminal unit. Even though Johansson discloses a resource allocation method that will automatically force the use of adjacent idle resources, Johansson fails to expressly disclose the additional resources requested by the terminal units are adjacent resources.

Katinakis discloses a method by which a mobile station can acquire additional resources to meet its needs by scanning for idle channels adjacent to the channels used by the mobile station and the serving Base Station. Katinakis further discloses that each terminal unit includes:

Art Unit: 2662

a resource detection means for detecting resource usage statuses of terminal units that are using resources adjacent to a resource used by the terminal unit to which the resource detection means belongs by use of the resource map supplied from the resource monitoring device(Column 3, Lines 32-37; Steps 21 -23 in Figure 2; Katinakis describes the resource detection ability of the terminal unit from the fact that when it is in need of additional channels the terminal unit scans available channels to identify the near-by idle channels in the serving and adjacent cells. Of course, the initial channel assignment forwarded to the mobile station is the resource map and provides the baseline to determine which channel and cell site is an adjacent resource. These steps are shown in steps 21-23 of Figure 2); and

a resource acquisition means for finding idle resources between the resource used by the terminal unit and the adjacent resources based on the resource usage statuses detected by the resource detection means and acquiring all or part of the idle resources so as to be incorporated in the usable resource of the terminal unit (Column 3, Lines 40-49; Steps 24-26 of Figure 2; Katinakis describes the resource acquisition means of the terminal units from the fact that the units are able to acquire the idle channels or free time slots by immediately reserving and selecting the channels and filling each channel with data packets. Of course the terminal units are able to determine if the channels are idle or not by determining the channel usage status.)

Art Unit: 2662

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Johansson's system to incorporate resource detection and acquisition means in each terminal unit for acquiring additional adjacent resources, the motivation being able to decrease the load in the serving base station and increase the data transfer rate.

4. Regarding **claim 2**, Johansson and Katinakis disclose all aspects of the claimed invention as set forth in the rejection of claim 1 including a packet transmission system wherein:

the resource monitoring device further includes a resource monitoring means (element 13, Johansson's Figure 3, i.e. Statistics Analyzer) for monitoring resource usage statuses of the terminal units by monitoring packet traffic from the terminal units, (Johansson: Column 2, Lines 49-59; Column 3, Lines 55-64; Column 4, Lines 1-7; Johansson's resource allocation means measures the number of requests on a resource basis to ensure that resource units are evenly utilized in resource pool. The traffic statistics about a number of requests for a resource level allows the statistics analyzer to monitor packet traffic from the terminal units (i.e. mobile station). Further, all base stations at some level monitor packet traffic from and to the mobile stations they serve.) and

the resource management means includes a resource map update means for receiving the resource usage statuses of the terminal units from the resource monitoring means, finding a terminal unit whose resource is insufficient by use of the resource usage statuses, and updating the resource map by setting a reservation resource

Art Unit: 2662

reference point in an appropriate idle zone of the resource map (Johansson: Column 5, Lines 32-44 and Column 8, Lines 16-46) so as to be used as the central point of a usable resource which is newly assigned to the terminal unit whose resource is insufficient, (Johansson: Column 3, Lines 54-60; Column 4, Lines 45-63; and Column 6, Lines 8-16; Johansson discloses an efficient resource allocation policy where idle resources are exhausted at the lowest level and near to the resource that is in use.) and

the resource acquisition means of terminal units that are using resources adjacent to the reservation resource reference point in the updated resource map reduce their resources so that an idle resource zone will be prepared around the reservation resource reference point, (Katinakis: Column 3, Lines 32-53 and Figure 2; This is also a consequence of the fact that once a mobile station needing additional resources acquires adjacent idle channels from adjacent base stations then of course the adjacent base stations have reduced their resources and will be reflected in the updated resource map.) and

the resource acquisition means of the terminal unit whose resource is insufficient sets a new resource for the terminal unit in the idle resource zone. (Katinakis: Column 3, Lines 32-53 and Figure 2)

5. Regarding **claims 3, 7, and 11**, Johansson and Katinakis disclose all aspects of the claimed invention as set forth in the rejection of claim 1 including a packet transmission system, wherein the data transmission from the terminal units to the resource monitoring device is executed by means of CDMA (Code Division Multiple

Art Unit: 2662

Access). (Johansson: Column 4, Lines 10-15; Column 9, Lines 25-26 and 34-35; Figures 8 and 9; and Katinakis: Column 2, Lines 39-40);

- 6. Regarding claims 4, 8, and 12, Johansson and Katinakis disclose all aspects of the claimed invention as set forth in the rejection of claim 1 including a packet transmission system packet transmission system, wherein the resource acquisition means acquires approximately 50% of the idle resources so as to be incorporated in the usable resource of the terminal unit. (This is strictly a design and operation issue.

  To increase the data transfer rate from the requester's perspective it would be great to use 100% of the available idle resource. But since the modified invention of Johansson and Katinakis is a system that makes sure resource units are evenly utilized in a resource pool. For instance when voice usage is low during non-peak hours it will allow higher use of idle channels for data use but still guaranteeing some level of voice service. See also Johansson: Column 2, Lines 49-50; Column 3, Lines 63-67 and Column 4, Lines 1-7)
- 7. Regarding claims 5 and 9, Johansson and Katinakis disclose all aspects of the claimed invention as set forth in the rejection of claim 1 including a packet transmission method for a packet transmission system (see Johansson's Figures 3 and 8) in which each terminal unit (element 164 in Johansson's Figure 8) transmits data to a resource monitoring device of a network (element 162 in Johansson's Figure 8;Base Station (BS)) for sending the data to another terminal unit via the network, comprising the steps of:

Ì

Art Unit: 2662

a resource map reception step in which each terminal unit receives a resource map in which central points of resources that can be used by the terminal units are described from the resource monitoring device (Johansson: Column 1, Lines 24-31 and Column 9: Lines 5-12);

an adjacent resource usage status detection step in which the terminal unit detects resource usage statuses of terminal units that are using resources adjacent to a resource used by the terminal unit by use of the resource map supplied from the resource monitoring device (Katinakis: Column 3, Lines 32-37; Steps 21 -23 in Figure 2;); and

a resource acquisition step in which the terminal unit finds idle resources between the resource used by the terminal unit and the adjacent resources based on the resource usage statuses detected in the adjacent resource usage status detection step and acquires all or part of the idle resources so as to be incorporated in the usable resource of the terminal unit(Katinakis: Column 3, Lines 40-49; Steps 24-26 of Figure 2;).

8. Regarding **claims 6 and 10**, Johansson and Katinakis disclose all aspects of the claimed invention as set forth in the rejection of claim 1 including a packet transmission method, further comprising:

a resource usage status monitoring step in which the resource monitoring device monitors resource usage statuses of the terminal units by monitoring packet traffic from the terminal units (Johansson: Column 2, Lines 49-59; Column 3, Lines 55-64; Column 4, Lines 1-7; Johansson's resource allocation means measures the

Art Unit: 2662

number of requests on a resource basis to ensure that resource units are evenly utilized in resource pool. The traffic statistics about a number of requests for a resource level allows the statistics analyzer to monitor packet traffic from the terminal units (i.e. mobile station). Further, all base stations at some level monitor packet traffic from and to the mobile stations they serve.)

a resource map update step in which the resource monitoring device finds a terminal unit whose resource is insufficient by use of the resource usage statuses and updates the resource map by setting a reservation resource reference point in an appropriate idle zone of the resource map (Johansson: Column 5, Lines 32-44 and Column 8, Lines 16-46) so as to be used as the central point of a usable resource which is newly assigned to the terminal unit whose resource is insufficient (Johansson: Column 3, Lines 54-60; Column 4, Lines 45-63; and Column 6, Lines 8-16; Johansson discloses an efficient resource allocation policy where idle resources are exhausted at the lowest level and near to the resource that is in use.);

a resource reduction step in which terminal units that are using resources adjacent to the reservation resource reference point in the updated resource map reduce their resources so that an idle resource zone will be prepared around the reservation resource reference point (Katinakis: Column 3, Lines 32-53 and Figure 2; This is also a consequence of the fact that once a mobile station needing additional resources acquires adjacent idle channels from adjacent base stations then of course the adjacent base stations have reduced their resources and will be reflected in the updated resource map.); and

Art Unit: 2662

Page 10

a resource setting step in which the terminal unit whose resource is insufficient sets its new resource in the idle resource zone prepared in the resource reduction step (Katinakis: Column 3, Lines 32-53 and Figure 2).

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The following patents are cited to show the state of the art with respect to burst – level resource allocation in cellular systems:

US Patent (6, 418, 148) to Kumar et al

US Patent (6, 374, 112) to Widegren et al

US Patent (6, 868, 277) to Cerwall et al

US Patent (6, 647, 265) to Olofsson et al

US Patent (6, 748, 220) to Chow et al

US Patent (6, 529, 497) to Hjelm et al

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Habte Mered whose telephone number is 571 272 6046. The examiner can normally be reached on Monday to Friday 9:30AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hassan Kizou can be reached on 571 272 3088. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2662

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

HM 03-18-2005

HASSAN KIZOU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600